



## KUBE II LOTTERY

### Printer for lottery, gaming and betting solution

KUBE II LOTTERY is a high performance thermal printer suitable for applications in the gaming, lottery and betting sector. High quality printing of logos and graphic coupons with Serial interface and USB FULL SPEED that is 10 times faster! Sturdy and reliable: equipped with long-life printing head, and new cutter for automatic receipt cutting (greatest functionality, for over 1 million cuts). 1D and 2D barcode printing (including PDF417) and international fonts such as Chinese and Russian.

#### CHARACTERISTICS

- Powerful and extremely fast: 250mm/sec
  - Paper width: 80/82.5mm
  - Unique printing capacity: 150mm diameter paper roll
  - Stacker to collect up to 50 tickets
-

## TECHNICAL SHEET

|                    |                                                                                                                                                             |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Printing Method    | Thermal printing                                                                                                                                            |
| Number of dots     | 8 dots / mm                                                                                                                                                 |
| Resolution         | 203 DPI                                                                                                                                                     |
| Printing (mm/sec)  | 250                                                                                                                                                         |
| Character set      | PC437, PC850, PC860, PC863, PC865, PC858 (euro)                                                                                                             |
| Printing Format    | Normal, height and width from 1x to 8x, expanded, reverse, underlined, script                                                                               |
| Printing Direction | Straight, 90°, 180°, 270°                                                                                                                                   |
| Paper width        | 80mm/ 82.5mm                                                                                                                                                |
| Paper thickness    | 65µm                                                                                                                                                        |
| Roll Dimension     | max Ø 150 mm                                                                                                                                                |
| Emulation          | CUSTOM / POS                                                                                                                                                |
| Interfaces         | USB 1.1 full speed + Serial RS232                                                                                                                           |
| Data Buffer        | 20 Kbytes                                                                                                                                                   |
| Flash Memory       | 512 KB                                                                                                                                                      |
| Graphic Memory     | 1 608 x 862 dots logo                                                                                                                                       |
| Drivers            | Windows® (32/64 bit) – only on request WHQL and silent installation;<br>Linux (32/64 bit);<br>Virtual COM (Linux or Windows 32/64 bit);<br>Android™;<br>iOS |
| Software Tools     | PrinterSet, CustomPowerTool                                                                                                                                 |
| Power supply       | 24 Vdc ± 10% (external power supply)                                                                                                                        |
| Medium consumption | 1.5 A (50% printing rate)                                                                                                                                   |
| DKD Function       | 1 driver or customer display directly connected                                                                                                             |
| MTBF               | 360,000 hours (electronic board)                                                                                                                            |
| Safety             | EN60950 2001                                                                                                                                                |
| Marks              | CE, RoHS Compliant                                                                                                                                          |
| Dimensions         | 297 (L) x 215 (H) x 140 (W) mm                                                                                                                              |
| Weight             | 2.3 Kg                                                                                                                                                      |

## MODELS



### 911BR010300333

PRINTER KUBEII LOTTERY USB  
RS232

---

Via Berettine, 2 - 43010 Fontevivo PR - VAT: IT02498250345 - TEL: +39 0521 680111 - FAX: +39 0521 610701 - UNIQUE CODE: 8RQN7AZ

The technical data on this website are not binding and may be changed without advanced notice.

Last update: 17 May 2024